

L Number	Hits	Search Text	DB	Time stamp
73	2	(b41f\$.ipc. or b41f\$.epc.) and (frame or housing or wall or support) near2 (hole or aperture or cavity or recess) near2 (store or storage)	EPO; JPO; DERWENT	2004/02/03 08:00
74	0	(101/\$.ccls.) and (frame or housing or wall or support) near2 (hole or aperture or cavity or recess) near2 (store or storage)	USPAT; US-PGPUB	2004/02/03 08:25
75	1	09/902,550	USPAT; US-PGPUB	2004/02/03 08:40
76	1	jp-03176150-\$.did.	EPO; JPO; DERWENT	2004/02/03 08:40
77	146	sugiyama-hiroyuki\$.in.	USPAT; US-PGPUB	2004/02/03 08:41
78	7174	plate adj cylinder	USPAT; US-PGPUB	2004/02/03 08:41
79	27	sugiyama-hiroyuki\$.in. and (plate adj cylinder)	USPAT; US-PGPUB	2004/02/03 09:30
80	4	("4669380" "4727807" "4858528" "5218907").PN.	USPAT	2004/02/03 08:43
81	5	("3793950" "3858513" "4191105" "4417514" "4727807").PN.	USPAT	2004/02/03 08:46
82	23	5218907.URPN.	USPAT	2004/02/03 08:55
83	8	("5094165" "5127322" "5218907" "5289773" "5361699" "5390603" "5394614" "5406888").PN.	USPAT	2004/02/03 09:11
84	7	("2404412" "2659560" "3649069" "4883282" "5094165" "5127322" "5218907").PN.	USPAT	2004/02/03 09:12
85	3	("4412490" "4623294" "4727807").PN.	USPAT	2004/02/03 09:13
86	8	5127322.URPN.	USPAT	2004/02/03 09:15
87	8	5127322.URPN.	USPAT	2004/02/03 09:17
88	10	5361699.URPN.	USPAT	2004/02/03 09:19
89	5	("4669380" "5361699" "5440988" "5479858" "5487336").PN.	USPAT	2004/02/03 09:25
90	7186	((b41f\$.ipc. or b41f\$.epc.) and (frame or housing or wall or support) near2 (hole or aperture or cavity or recess) near2 (store or storage)) ((101/\$.ccls.) and (frame or housing or wall or support) near2 (hole or aperture or cavity or recess) near2 (store or storage)) 09/902,550 jp-03176150-\$.did. (plate adj cylinder) (sugiyama-hiroyuki\$.in. and (plate adj cylinder)) ("4669380" "4727807" "4858528" "5218907").PN.) (("3793950" "3858513" "4191105" "4417514" "4727807").PN.) 5218907.URPN. (("5094165" "5127322" "5218907" "5289773" "5361699" "5390603" "5394614" "5406888").PN.) ("2404412" "2659560" "3649069" "4883282" "5094165" "5127322" "5218907").PN.) ("4412490" "4623294" "4727807").PN.) 5127322.URPN. 5127322.URPN. 5361699.URPN. ("4669380" "5361699" "5440988" "5479858" "5487336").PN.)	USPAT; US-PGPUB	2004/02/03 09:30
91	354365	(center\$ or align\$ or positioning\$ or locat\$) near1 (device or means or apparatus or portion or element or lock\$ or accessory)	USPAT; US-PGPUB	2004/02/03 09:37
92	1009	((b41f\$.ipc. or b41f\$.epc.) and (frame or housing or wall or support) near2 (hole or aperture or cavity or recess) near2 (store or storage)) ((101/\$.ccls.) and (frame or housing or wall or support) near2 (hole or aperture or cavity or recess) near2 (store or storage)) 09/902,550 jp-03176150-\$.did. (plate adj cylinder) (sugiyama-hiroyuki\$.in. and (plate adj cylinder)) ("4669380" "4727807" "4858528" "5218907").PN.) (("3793950" "3858513" "4191105" "4417514" "4727807").PN.) 5218907.URPN. (("5094165" "5127322" "5218907" "5289773" "5361699" "5390603" "5394614" "5406888").PN.) ("2404412" "2659560" "3649069" "4883282" "5094165" "5127322" "5218907").PN.) ("4412490" "4623294" "4727807").PN.) 5127322.URPN. 5127322.URPN. 5361699.URPN. ("4669380" "5361699" "5440988" "5479858" "5487336").PN.) and ((center\$ or align\$ or positioning\$ or locat\$) near1 (device or means or apparatus or portion or element or lock\$ or accessory))	USPAT; US-PGPUB	2004/02/03 09:32

93	479	(((b41f\$.ipc. or b41f\$.epc.) and (frame or housing or wall or support) near2 (hole or aperture or cavity or recess) near2 (store or storage)) ((101/\$.ccls.) and (frame or housing or wall or support) near2 (hole or aperture or cavity or recess) near2 (store or storage)) 09/902,550 jp-03176150-\$.did. (plate adj cylinder) (sugiyama-hiroyuki\$.in. and (plate adj cylinder)) (("4669380" "4727807" "4858528" "5218907").PN.) ("3793950" "3858513" "4191105" "4417514" "4727807").PN.) 5218907.URPN. (("5094165" "5127322" "5218907" "5289773" "5361699" "5390603" "5394614" "5406888").PN.) ("2404412" "2659560" "3649069" "4883282" "5094165" "5127322" "5218907").PN.) ("4412490" "4623294" "4727807").PN.) 5127322.URPN. 5127322.URPN. 5361699.URPN. (("4669380" "5361699" "5440988" "5479858" "5487336").PN.)) and ((center\$ or align\$ or positioning\$ or locat\$) near1 (device or means or apparatus or portion or element or lock\$ or accessory))) and 101/\$.ccls.	USPAT; US-PGPUB	2004/02/03 09:32
94	80316	(centering or centered or aligning or aligner or positioning or positioner or locating or locator or locater) near1 (device or means or apparatus or portion or element or lock\$ or accessory)	USPAT; US-PGPUB	2004/02/03 09:45
95	169	(((b41f\$.ipc. or b41f\$.epc.) and (frame or housing or wall or support) near2 (hole or aperture or cavity or recess) near2 (store or storage)) ((101/\$.ccls.) and (frame or housing or wall or support) near2 (hole or aperture or cavity or recess) near2 (store or storage)) 09/902,550 jp-03176150-\$.did. (plate adj cylinder) (sugiyama-hiroyuki\$.in. and (plate adj cylinder)) (("4669380" "4727807" "4858528" "5218907").PN.) ("3793950" "3858513" "4191105" "4417514" "4727807").PN.) 5218907.URPN. (("5094165" "5127322" "5218907" "5289773" "5361699" "5390603" "5394614" "5406888").PN.) ("2404412" "2659560" "3649069" "4883282" "5094165" "5127322" "5218907").PN.) ("4412490" "4623294" "4727807").PN.) 5127322.URPN. 5127322.URPN. 5361699.URPN. (("4669380" "5361699" "5440988" "5479858" "5487336").PN.)) and ((center\$ or align\$ or positioning\$ or locat\$) near1 (device or means or apparatus or portion or element or lock\$ or accessory))) and 101/\$.ccls.) and ((centering or centered or aligning or aligner or positioning or positioner or locating or locator or locater) near1 (device or means or apparatus or portion or element or lock\$ or accessory)))	USPAT; US-PGPUB	2004/02/03 09:38
96	93	((((b41f\$.ipc. or b41f\$.epc.) and (frame or housing or wall or support) near2 (hole or aperture or cavity or recess) near2 (store or storage)) ((101/\$.ccls.) and (frame or housing or wall or support) near2 (hole or aperture or cavity or recess) near2 (store or storage)) 09/902,550 jp-03176150-\$.did. (plate adj cylinder) (sugiyama-hiroyuki\$.in. and (plate adj cylinder)) (("4669380" "4727807" "4858528" "5218907").PN.) ("3793950" "3858513" "4191105" "4417514" "4727807").PN.) 5218907.URPN. (("5094165" "5127322" "5218907" "5289773" "5361699" "5390603" "5394614" "5406888").PN.) ("2404412" "2659560" "3649069" "4883282" "5094165" "5127322" "5218907").PN.) ("4412490" "4623294" "4727807").PN.) 5127322.URPN. 5127322.URPN. 5361699.URPN. (("4669380" "5361699" "5440988" "5479858" "5487336").PN.)) and ((center\$ or align\$ or positioning\$ or locat\$) near1 (device or means or apparatus or portion or element or lock\$ or accessory))) and 101/\$.ccls.) and ((centering or centered or aligning or aligner or positioning or positioner or locating or locator or locater) near1 (device or means or apparatus or portion or element or lock\$ or accessory)))	USPAT; US-PGPUB	2004/02/03 10:12
97	1	("5406888").PN.	USPAT; US-PGPUB	2004/02/03 10:48
98	2	09/283,821	USPAT; US-PGPUB	2004/02/03 10:48
-	500778	b41\$.ipc. or b41\$.epc.	EPO; JPO; DERWENT	2004/01/29 12:00
-	23809	imaging near1 (apparatus or device or unit)	EPO; JPO; DERWENT	2004/01/29 12:00
-	1657	(producing or manufacturing or making or creating or forming) near1 (printing) near1 (plate or form or forme)	EPO; JPO; DERWENT	2004/01/29 12:01
-	10	(b41\$.ipc. or b41\$.epc.) and (imaging near1 (apparatus or device or unit)) and ((producing or manufacturing or making or creating or forming) near1 (printing) near1 (plate or form or forme))	EPO; JPO; DERWENT	2004/01/29 12:24

-	1	("6510795").PN.	USPAT;	2004/01/29 12:25
-	32	detmers-andreas\$.in.	US-PGPUB	2004/01/29 12:26
-	20	detmers-andreas\$.in.	EPO; JPO;	2004/01/29 12:38
			DERWENT	
			USPAT;	
			US-PGPUB	

	94	<p>JP-10309797-\$.did. JP-3053666-\$.did.</p> <p>JP-09239958-\$.did.</p> <p>JP-09234852-\$.did.</p> <p>JP-09216344-\$.did.</p> <p>JP-09131857-\$.did.</p> <p>JP-09123410-\$.did.</p> <p>JP-08336955-\$.did.</p> <p>JP-3029779-\$.did.</p> <p>JP-3029755-\$.did.</p> <p>JP-3029038-\$.did.</p> <p>JP-3029037-\$.did.</p> <p>JP-3028543-\$.did.</p> <p>JP-08156232-\$.did.</p> <p>JP-08058057-\$.did.</p> <p>JP-08039784-\$.did.</p> <p>JP-07314653-\$.did.</p> <p>JP-07314650-\$.did.</p> <p>JP-07195677-\$.did.</p> <p>JP-06297689-\$.did.</p> <p>JP-3002218-\$.did.</p> <p>JP-06143542-\$.did.</p> <p>JP-06126937-\$.did.</p> <p>JP-06023750-\$.did.</p> <p>JP-06079854-\$.did.</p> <p>JP-06079853-\$.did.</p> <p>JP-06023310-\$.did.</p> <p>JP-05345408-\$.did.</p> <p>JP-05261895-\$.did.</p> <p>JP-05254098-\$.did.</p> <p>JP-05254085-\$.did.</p> <p>JP-05200985-\$.did.</p> <p>JP-05193122-\$.did.</p> <p>JP-05193116-\$.did.</p> <p>JP-05057878-\$.did.</p> <p>JP-05050586-\$.did.</p> <p>JP-05050585-\$.did.</p> <p>JP-04351554-\$.did.</p> <p>JP-04347638-\$.did.</p> <p>JP-04124638-\$.did.</p> <p>JP-04200351-\$.did.</p> <p>JP-04069133-\$.did.</p> <p>JP-04013352-\$.did.</p> <p>JP-04007153-\$.did.</p> <p>JP-03130156-\$.did.</p> <p>JP-02295745-\$.did.</p> <p>JP-01083544-\$.did.</p> <p>JP-01125232-\$.did.</p> <p>JP-01075235-\$.did.</p> <p>JP-01044123-\$.did.</p> <p>JP-01036139-\$.did.</p> <p>JP-01034235-\$.did.</p> <p>JP-01053845-\$.did.</p> <p>JP-01001940-\$.did.</p> <p>JP-63312146-\$.did.</p> <p>JP-63299936-\$.did.</p> <p>JP-63299935-\$.did.</p> <p>JP-63299934-\$.did.</p> <p>JP-63161831-\$.did.</p> <p>JP-63022650-\$.did.</p> <p>JP-63003436-\$.did.</p> <p>JP-62134734-\$.did.</p> <p>JP-60178138-\$.did.</p> <p>JP-60175637-\$.did.</p> <p>JP-60173328-\$.did.</p> <p>JP-60171340-\$.did.</p> <p>JP-60161553-\$.did.</p> <p>JP-60150750-\$.did.</p> <p>JP-59098851-\$.did.</p>	EPO; JPO; DERWENT	2004/01/29 12:42
Search History 2/3/04 11:04:53 AM	C:\APPS\least\workspaces\00902200250	<p>JP-60161553-\$.did.</p> <p>JP-60150750-\$.did.</p> <p>JP-59098851-\$.did.</p>		

-	21	b41\$.ipc. and (printing near1 (press or unit or machine or apparatus or device)) near2 accessory	EPO; JPO;	2004/01/29 12:50
-	1	("4254706").PN.	DERWENT	2004/01/29 12:59
-	8507	b41f\$.ipc. or b41f\$.epc.	USPAT;	2004/01/29 13:02
-	91729	(slider or slide or sliding) near2 (guide or track or rod or bar) or (linear or lineal) near1 (guide or track or slide or slider or sliding)	US-PGPUB	2004/01/29 13:02
-	1163817	pivot or pivoting or pivotab\$ or pivotally or pivoted or rotate or rotated or rotatably or rotatable	USPAT;	2004/01/29 13:02
-	564	(b41f\$.ipc. or b41f\$.epc.) and ((slider or slide or sliding) near2 (guide or track or rod or bar) or (linear or lineal) near1 (guide or track or slide or slider or sliding)) and (pivot or pivoting or pivotab\$ or pivotally or pivoted or rotate or rotated or rotatably or rotatable)	US-PGPUB	2004/01/29 13:01
-	55270	b41f\$.ipc. or b41f\$.epc.	USPAT;	2004/01/29 13:02
-	63187	(slider or slide or sliding) near2 (guide or track or rod or bar) or (linear or lineal) near1 (guide or track or slide or slider or sliding)	EPO; JPO;	2004/01/29 13:02
-	1268367	pivot or pivoting or pivotab\$ or pivotally or pivoted or rotate or rotated or rotatably or rotatable	DERWENT	2004/01/29 13:02
-	104	(b41f\$.ipc. or b41f\$.epc.) and ((slider or slide or sliding) near2 (guide or track or rod or bar) or (linear or lineal) near1 (guide or track or slide or slider or sliding)) and (pivot or pivoting or pivotab\$ or pivotally or pivoted or rotate or rotated or rotatably or rotatable)	EPO; JPO;	2004/02/03 07:58
-	1	09/902,550	DERWENT	
			USPAT;	2004/01/29 13:09
			US-PGPUB	